



CITISTAT FIRE DEPARTMENT

Acting Department Head: CARL E. MCDONALD

Date Appoint:

Assistant Chief (Administration): Michael E. Dalton

Acting Assistant Chief (Operations): Donald W. Heinbuch

Acting Assistant Chief (Planning and Technical Service): Michael S. Kernan



MBE/WBE EXPENDITURES

EXPENDITURE TYPE	CURRENTLY AVAILABLE PERIOD (1/1 - 1/15)					YEAR-TO-DATE				
	Expenditures	MBE	%	WBE	%	Expenditures	MBE	%	WBE	%
Architectural and Engineering	\$0	\$0	#DIV/0!	\$0	#DIV/0!	Not Yet Available				
Construction	\$0	\$0	#DIV/0!	\$0	#DIV/0!					
Direct Purchase Orders	\$20,464	\$195	1.0%	\$2,204	10.8%					
Purchase Orders	\$22,845	\$0	0.0%	\$0	0.0%					
Professional Services	\$10,341	\$0	0.0%	\$0	0.0%					
Totals	\$53,650	\$195	0.4%	\$2,204	4.1%					

PERSONNEL DATA

	2 -WEEK REPORTING PERIODS					YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15	% CHANGE	Average	Minimum	Maximum	Total	Periods
OVERTIME (HOURS)	7,085	6,660	8,033	8,450	5.2%	6625.3	2941.5	11215.7	212011.0	34
Administration	136	132	115	104	-9.1%	163.9	111.0	300.5	5244.2	34
Training	70	115	50	183	266.5%	151.5	0.0	444.0	4847.0	34
Fire Suppression	6,243	5,984	7,470	7,502	0.4%	5715.2	2141.5	10219.2	182885.8	34
Fire Marshal	63	56	51	83	62.7%	134.7	47.0	300.0	4311.0	34
Support Services	44	24	8	71	787.5%	33.0	0.0	121.0	1055.0	34
Fire Alarm & Comm.	530	350	339	507	49.4%	427.1	266.0	678.0	13667.5	34
UNSCHED. LEAVE (DAYS)	4	13	8	12	50.0%	5.0	0.0	20.0	159.2	34
Administration	0	3	0	0	0.0%	1.5	0.0	8.0	49.2	34
Training	4	10	8	12	50.0%	3.3	0.0	20.0	104.0	34
Fire Suppression	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
Fire Marshal	0	0	0	0	0.0%	0.2	0.0	5.0	6.0	34
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
"A" TIME (DAYS)	314	337	340	304	-10.6%	283.0	219.0	339.5	9057.5	34
Administration	0	0	0	0	0.0%	0.2	0.0	2.0	6.5	34
Training	0	0	0	0	0.0%	0.5	0.0	10.0	16.0	34
Fire Suppression	299	320	321	288	-10.3%	278.4	208.0	338.0	8909.5	34
Fire Marshal	15	17	19	16	-15.8%	3.9	0.0	17.0	125.5	34
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
LIGHT DUTY (DAYS)	81	77	84	123	46.4%	141.3	77.0	277.0	4523.0	34
Administration	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
Training	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
Fire Suppression	81	77	81	119	46.9%	140.0	77.0	277.0	4480.0	34
Fire Marshal	0	0	3	4	33.3%	0.6	0.0	7.0	18.0	34
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	34
Fire Alarm & Comm.	0	0	0	0	0.0%	0.1	0.0	4.0	4.0	34
EMS Staff	0	0	0	0	0.0%	0.7	0.0	10.0	21.0	34
SICK (DAYS)	483	465	530	565	6.6%	421.4	355.0	499.5	5899.0	16
Administration	7	5	10	20	100.0%	4.8	0.5	10.5	66.5	16
Training	4	10	8	12	50.0%	2.6	0.0	10.0	37.0	16
Fire Suppression	439	428	488	508	4.1%	393.6	343.0	453.0	5511.0	16
Fire Marshal	14	9	3		-100.0%	8.1	0.0	22.0	114.0	15
Support Services	0	0	0	0	0.0%	0.4	0.0	6.0	6.0	16
Fire Alarm & Comm.	19	13	19	23	21.1%	11.0	0.0	24.0	154.5	16
EMS Staff	0	0	2	2	0.0%	1.6	0.0	9.0	22.0	16



CITISTAT
Employee Absentee Worksheet

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	39	390	20.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	1.5	8.5	0.0	0.0	55.0
Training	14	120	0.0	12.0	0.0	0.0	0.0	0.0	1.0	2.0	0.0	16.0	0.0	0.0	31.0
Operations	1,418	7,975	0.0	508.0	0.0	0.0	0.0	288.0	183.0	1,490.0	2.0	5.0	62.0	48.0	2,586.0
Fire Marshal	39	324	1.0	20.0	0.0	0.0	0.0	16.0	2.0	34.0	0.0	6.0	0.0	3.0	82.0
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	3.0
Fire Alarm & Comm.	49	408	0.0	23.0	0.0	0.0	0.0	0.0	0.0	46.0	1.0	0.0	8.0	0.0	78.0
EMS Staff	18	148	0.0	2.0	0.0	0.0	0.0	0.0	2.0	16.0	0.0	0.0	0.0	0.0	20.0
TOTALS	1,578	9,395	21.0	565.0	0.0	0.0	0.0	304.0	188.0	1,616.0	4.5	35.5	70.0	51.0	2,855.0

REPORTING PERIOD: DECEMBER 19, 2001 THROUGH JANUARY 01, 2002

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	39	390	10.0	0.0	0.0	0.0	0.0	0.0	1.0	38.5	5.0	17.0	0.0	0.0	71.5
Training	14	120	4.0	8.0	0.0	0.0	0.0	0.0	1.0	31.5	0.0	16.0	0.0	0.0	60.5
Operations	1,418	7,975	0.0	488.0	0.0	0.0	0.0	321.0	92.5	1,635.0	9.5	5.8	73.0	45.0	2,669.8
Fire Marshal	39	278	9.0	3.0	0.0	0.0	0.0	19.0	0.0	46.0	0.0	5.0	0.0	2.0	84.0
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.0	0.0	0.0	8.0
Fire Alarm & Comm.	49	408	0.0	19.0	0.0	0.0	0.0	0.0	1.0	57.0	2.0	1.8	0.0	0.0	80.8
EMS Staff	18	148	0.0	2.0	0.0	0.0	0.0	0.0	1.0	21.0	1.0	2.5	0.0	0.0	27.5
TOTALS	1,578	9,349	23.0	520.0	0.0	0.0	0.0	340.0	96.5	1,834.0	17.5	51.1	73.0	47.0	3,002.1

PERSONNEL DEPARTMENTS

Support Services - Support Services includes the Fire Apparatus Coordinator, the Assistant Fire Apparatus Coordinator and the Acting Fire Supply Coordinator. The total of employees for Support Services is three (3).

Operations - includes the fire suppression forces, paramedics, and operations staff personnel.
Note that paramedics work a shift schedule and are carried on payrolls of suppression units such as engine companies or truck.

EMS Staff - includes personnel in the Medical Bureau office and EMS Supervisors who work a shift schedule. These personnel are carried on the "Medical Bureau" payroll.



CITISTAT
Daily Callback Report

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

	WEDNESDAY 1/2/2002	THURSDAY 1/3/2002	FRIDAY 1/4/2002	SATURDAY 1/5/2002	SUNDAY 1/6/2002	MONDAY 1/7/2002	TUESDAY 1/8/2002	TOTALS
Day	19	14	11	22	22	25	19	132
Night	24	26	23	27	19	22	31	172
TOTALS	43	40	34	49	41	47	50	304

	WEDNESDAY 1/9/2002	THURSDAY 1/10/2002	FRIDAY 1/11/2002	SATURDAY 1/12/2002	SUNDAY 1/13/2002	MONDAY 1/14/2002	TUESDAY 1/15/2002	TOTALS
Day	14	18	22	24	28	16	18	140
Night	29	23	31	39	42	23	25	212
TOTALS	43	41	53	63	70	39	43	352
							Total - Day	272
							Total -Night	384
							GT	656



CITISTAT

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE SUPPRESSION						
911 Fire Suppression Service Calls	76934	74162	19120	18097		
Residential Structure Fires	1942	2191	523	610		
Private Dwellings	1465	1601	388	438		
Apartments	446	556	129	164		
Others	31	34	6	8		
Non-Residential Structure Fires	737	693	162	161	0	0
Public Assembly	97	53	13	10		
Schools & Colleges	77	59	5	19		
Health Care & Penal Institutions	25	51	7	9		
Stores & Offices	100	89	18	28		
Vacant Structure	158	255	67	48		
Others	280	186	52	47		
Total Structure Fires	2679	2884	685	771	0	0
Non-Structure Fires	3146	3712	1024	1126	0	0
Vehicles	966	1032	290	225		
Area Outside of Structures	139	179	42	39		
Brush, Grass, Wildland	607	864	200	420		
Trash, Rubbish, Dumpsters	1402	1596	483	429		
Others	32	41	9	13		
HAZMAT Incidents	64	88	19	35		
Mutual Aid Incidences	591	399	107	65	0	0
Provided	137	112	24	19		
Received	454	287	83	46		
False (Malicious) Alarms	4532	4879	1248	1138	0	0
Suppression	1330	1514	380	319		
EMS	3202	3365	868	819		
Private Alarms	6241	8130	1480	1572	0	0
EMS	598	586	132	148		
Suppression-Residential	2071	4034	440	550		
Suppression-Commercial	3572	3510	908	874		
Average Response Times						
1st Arriving Unit	0:04:02	0:03:53	0:03:51	0:04:03		
First Alarm	N/A	N/A	N/A	N/A		



CITISTAT

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE DEATHS						
Civilian Deaths	23	22	5	8	0	0
0 - 18	8	6	1	1		
19 - 35	6	2	0	0		
36 - 59	8	10	2	6		
60 +	1	4	2	1		
Firefighter Deaths	0	0	0	0		
Arson-Related Fire Deaths	0	1	1	0		
Residential Structure Fire Deaths	21	21	4	8		
Non-Residential Structure Fire Deaths	1	1	0	0		
Other Fire Deaths	1	0	1	0		
Fire Deaths Occurring in Structures with Working Smoke Detector	5	4	2	2		
Fire Deaths Occurring in Structure without a Working Smoke Detector	18	18	2	6		

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
EMERGENCY MEDICAL SERVICES						
911 EMS Service Calls	115,799	116,327	30,484	28,835		
Runs	115,799	116,327	30,484	28,835		
Runs that Resulted in EMS Transport	78,402	81,029	20,809	22,210		
Advanced Life Support (ALS)	110,795	115,190	30,157	28,653		
Basic Life Support (BLS) Red Alert	5,004	1,137	327	182		
% Runs that Resulted in EMS Transport	67.71%	69.69%	68.27%	77.02%		
Suppression Ambulance Assist Runs	48,611	47,094	12,315	10,963		
Response Times						
EMS Units	0:07:34	0:07:30	0:07:26	0:07:14		
Suppression Ambulance Assists	0:03:58	0:03:57	0:03:57	0:03:56		
Runs that Resulted in an EMS Billing	72,856	74,109	19,584	17,552		
% Runs that Resulted in an EMS Billing	62.92%	63.71%	64.24%	60.87%		
EMS Billings (\$)	\$18,202,600	\$18,525,150	\$4,895,900	\$4,387,800		
EMS Revenue Collected	\$4,588,135	\$6,764,222	\$1,650,023	\$909,557		
Medicare Revenue Collected	\$2,725,902	\$4,113,533	\$1,037,456	\$652,519		
Medicaid Revenue Collected	\$266,412	\$964,595	\$235,109	\$90,325		
Other	\$924,970	\$1,193,734	\$302,565	\$142,595		
None	\$670,851	\$492,359	\$74,983	\$24,118		
EMS Collection Rate	25.21%	36.51%	33.70%	20.73%		



CITISTAT

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE PREVENTION/INVESTIGATIONS						
Public Fire Safety Education (Persons)	16,759	74,383	11,695	11,632		
Community Meetings/Events	160	326	73	54		
Inspections	20,196	24,795	6,492	6,197		
Permits Issued	6,647	7,213	1,665	1,598		
Smoke Detectors Distributed	8,294	11,067	3,426	2,141		
Smoke Detectors Installed	8,002	10,830	3,386	2,127		
Fire Marshal's Office Investigations	1,252	1,384	306	320		
Incendiary/Arson as Cause of Fire	559	597	169	144		
Investigation-Related Criminal Arrests	52 (CY)	79	19	8		



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 2										
Total Responses	63	51	55	63	14.5%	66.5	51.0	85.0	2129	34
EMS Responses	23	24	27	32	18.5%	30.5	20.0	50.0	977	34
Building Inspections Performed	5	5	6	4	-33.3%	5.3	-	15.0	169	34
Home Visit Inspections Performed	7	5	12	26	116.7%	33.6	-	131.0	1076	34
Hydrants Inspected	34	34	34	34	0.0%	39.0	-	64.0	1248	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	3.0	65	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.2	-	5.0	7	34
Smoke Detectors Installed	0	0	0	0	0.0%	1.3	-	14.0	43	34
Battalion Training (Hours)	1	5	2	3	50.0%	2.2	-	6.0	71	34
Company Training (Hours)	7	4	3.3	6	81.8%	4.0	-	13.0	127.2	34
Total Time in Service	49.35	44.04	38.25	56.15	46.8%	47.1	28.1	88.2	1506.31	34
Engine 4										
Total Responses	75	54	57	76	33.3%	69.4	52.0	89.0	2221	34
EMS Responses	32	22	23	35	52.2%	30.3	18.0	41.0	968	34
Building Inspections Performed	5	3	2	5	150.0%	6.4	-	41.0	203	34
Home Visit Inspections Performed	43	52	22	64	190.9%	66.8	-	318.0	2137	34
Hydrants Inspected	34	34	34	34	0.0%	30.7	-	53.0	982	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	5.0	64	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.1	-	9.0	34	34
Smoke Detectors Installed	6	24	26	3	-88.5%	18.2	-	41.0	583	34
Battalion Training (Hours)	11	10.3	5	4	-20.0%	7.4	4.0	11.0	235.6	34
Company Training (Hours)	12	14.3	10.3	5	-51.5%	12.2	6.0	18.0	391.45	34
Total Time in Service	66.45	57.15	51.15	50.15	-2.0%	65.4	49.2	86.0	2093.81	34
Engine 5										
Total Responses	78	98	85	66	-22.4%	84.5	50.0	109.0	2704	34
EMS Responses	39	52	38	19	-50.0%	39.4	16.0	63.0	1262	34
Building Inspections Performed	4	6	11	5	-54.5%	6.2	-	12.0	197	34
Home Visit Inspections Performed	31	41	27	59	118.5%	44.9	-	110.0	1438	34
Hydrants Inspected	25	33	25	32	28.0%	27.3	-	53.0	873	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	2.0	4.0	73	34
Fire Prevention Presentations	0	1	2	0	-100.0%	0.7	-	5.0	21	34
Smoke Detectors Installed	0	18	11	12	9.1%	5.3	-	24.0	171	34
Battalion Training (Hours)	5	7	6	7	16.7%	4.3	1.0	8.0	138.2	34
Company Training (Hours)	6	11	4	5	25.0%	6.9	4.0	11.0	220.9	34
Total Time in Service	53	65.3	51.3	56.45	10.0%	57.9	38.5	91.3	1851.99	34
Engine 6										
Total Responses	142	135	133	165	24.1%	153.8	110.0	209.0	4920	34
EMS Responses	49	59	46	73	58.7%	66.2	44.0	98.0	2117	34
Building Inspections Performed	6	7	11	5	-54.5%	7.2	1.0	16.0	231	34
Home Visit Inspections Performed	23	21	5	7	40.0%	11.4	-	45.0	366	34
Hydrants Inspected	35	36	42	30	-28.6%	28.8	-	55.0	923	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	4	2	2	3	50.0%	2.6	2.0	5.0	84	34
Fire Prevention Presentations	0	1	1	0	-100.0%	0.9	-	5.0	30	34
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	7.0	10	34
Battalion Training (Hours)	6	4	4	4	0.0%	3.9	-	8.0	123.6	34
Company Training (Hours)	4.3	8	4	4.3	7.5%	6.4	2.0	20.0	204.6	34
Total Time in Service	73.45	69.25	66	73.1	10.8%	77.8	56.6	160.5	2490.16	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 8										
Total Responses	105	74	111	75	-32.4%	102.6	74.0	134.0	3282	34
EMS Responses	42	45	52	33	-36.5%	43.4	31.0	61.0	1388	34
Building Inspections Performed	7	3	2	6	200.0%	10.3	1.0	31.0	331	34
Home Visit Inspections Performed	21	0	50	0	-100.0%	21.8	-	65.0	699	34
Hydrants Inspected	28	53	26	26	0.0%	41.3	7.0	99.0	1320	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	2.0	4.0	70	34
Fire Prevention Presentations	0	0	1	0	-100.0%	2.0	-	16.0	63	34
Smoke Detectors Installed	0	0	0	14		9.3	-	32.0	296	34
Battalion Training (Hours)	4	6	10	4	-60.0%	3.9	-	6.0	125.6	34
Company Training (Hours)	10	11	12	14	16.7%	12.0	7.0	22.0	384.2	34
Total Time in Service	73	52.15	73.05	65	-11.0%	70.9	46.5	87.2	2267.88	34
Engine 13										
Total Responses	143	136	138	130	-5.8%	144.6	120.0	168.0	4626	34
EMS Responses	51	46	59	51	-13.6%	59.3	39.0	78.0	1898	34
Building Inspections Performed	4	8	6	4	-33.3%	8.3	2.0	25.0	267	34
Home Visit Inspections Performed	30	17	13	5	-61.5%	22.6	-	70.0	722	34
Hydrants Inspected	63	77	40	40	0.0%	43.6	20.0	80.0	1395	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	3	2	-33.3%	2.4	2.0	4.0	77	34
Fire Prevention Presentations	0	2	0	1		2.1	-	20.0	66.5	34
Smoke Detectors Installed	0	0	6	7	16.7%	7.2	-	32.0	230	34
Battalion Training (Hours)	3	3	2	3	50.0%	3.7	-	12.0	118.3	34
Company Training (Hours)	9	12	10	9	-10.0%	8.6	3.0	22.0	276.3	34
Total Time in Service	79.35	65.5	63.1	64.35	2.0%	79.1	55.5	130.2	2532.2	34
Engine 14										
Total Responses	127	107	138	145	5.1%	131.0	104.0	171.0	4191	34
EMS Responses	71	62	83	95	14.5%	76.8	52.0	100.0	2459	34
Building Inspections Performed	8	6	10	11	10.0%	9.8	2.0	21.0	315	34
Home Visit Inspections Performed	77	63	50	57	14.0%	49.9	-	185.0	1597	34
Hydrants Inspected	32	31	28	28	0.0%	29.3	10.0	48.0	938	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	2	0.0%	2.2	2.0	3.0	70	34
Fire Prevention Presentations	0	1	0	0	0.0%	0.5	-	5.0	17	34
Smoke Detectors Installed	8	0	0	0	0.0%	11.7	-	48.0	375	34
Battalion Training (Hours)	2	8	7	4	-42.9%	4.5	2.0	8.5	145.35	34
Company Training (Hours)	12.3	7	9	9	0.0%	11.4	4.0	22.0	363.35	34
Total Time in Service	79	72.45	83.45	76.3	-8.6%	82.4	56.5	120.2	2638.06	34
Engine 20										
Total Responses	75	68	61	68	11.5%	75.9	60.0	105.0	2429	34
EMS Responses	39	35	40	38	-5.0%	39.1	20.0	60.0	1252	34
Building Inspections Performed	8	8	5	8	60.0%	7.0	-	23.0	225	34
Home Visit Inspections Performed	47	54	29	41	41.4%	40.2	-	118.0	1287	34
Hydrants Inspected	75	60	61	60	-1.6%	67.1	-	137.0	2147	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	2	0.0%	2.5	2.0	3.0	80	34
Fire Prevention Presentations	0	0	0	0	0.0%	2.2	-	25.0	70	34
Smoke Detectors Installed	2	8	5	3	-40.0%	15.3	-	65.0	491	34
Battalion Training (Hours)	12	14	8	12	50.0%	12.4	6.0	21.0	396.8	34
Company Training (Hours)	8	8	13	6	-53.8%	11.3	4.0	19.3	360.53	34
Total Time in Service	72.1	61.45	53.3	60	12.6%	70.2	54.3	116.2	2245.72	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 21										
Total Responses	79	65	54	61	13.0%	65.7	40.0	82.0	2103	34
EMS Responses	35	33	27	34	25.9%	36.7	20.0	54.0	1174	34
Building Inspections Performed	8	3	0	5		5.4	-	12.0	173	34
Home Visit Inspections Performed	42	11	93	31	-66.7%	53.4	-	118.0	1708	34
Hydrants Inspected	28	29	28	30	7.1%	26.7	-	45.0	854	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	1	2	2	0.0%	2.1	-	4.0	67	34
Fire Prevention Presentations	0	1	0	1		0.8	-	5.0	25	34
Smoke Detectors Installed	0	0	30	0	-100.0%	9.5	-	38.0	303	34
Battalion Training (Hours)	7	11	6.3	7.3	15.9%	6.3	-	11.0	200.7	34
Company Training (Hours)	2.3	4	4	8	100.0%	5.1	-	36.0	162	34
Total Time in Service	45.15	50.45	42.05	46.2	9.9%	49.3	27.5	79.0	1576.33	34
Engine 23										
Total Responses	106	96	82	122	48.8%	122.0	96.0	149.0	3904	34
EMS Responses	48	37	37	51	37.8%	50.3	36.0	70.0	1611	34
Building Inspections Performed	7	8	4	7	75.0%	7.0	-	21.0	225	34
Home Visit Inspections Performed	0	0	0	0	0.0%	22.8	-	122.0	728	34
Hydrants Inspected	25	25	25	25	0.0%	25.0	2.0	83.0	800	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.5	2.0	5.0	80	34
Fire Prevention Presentations	0	2	0	0	0.0%	0.5	-	3.0	17	34
Smoke Detectors Installed	0	0	0	0	0.0%	0.5	-	6.0	16	34
Battalion Training (Hours)	0	4	2	4	100.0%	3.0	-	6.0	96	34
Company Training (Hours)	15	14	13	13	0.0%	11.8	3.0	46.0	378.3	34
Total Time in Service	65.1	56.3	53.1	69.25	30.4%	67.8	48.4	117.2	2169.27	34
Engine 26										
Total Responses	29	27	33	33	0.0%	39.4	24.0	56.0	1262	34
EMS Responses	15	8	11	12	9.1%	16.7	5.0	29.0	535	34
Building Inspections Performed	4	2	1	2	100.0%	4.4	-	12.0	141	34
Home Visit Inspections Performed	38	83	63	19	-69.8%	56.1	-	182.0	1795	34
Hydrants Inspected	22	23	22	24	9.1%	27.3	-	79.0	874	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	3	0.0%	2.2	1.0	3.0	69	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.4	-	3.0	14	34
Smoke Detectors Installed	2	7	7	0	-100.0%	4.2	-	17.0	133	34
Battalion Training (Hours)	2	8	1	6	500.0%	3.7	-	8.0	119	34
Company Training (Hours)	15	13	16	12	-25.0%	12.0	6.0	17.3	383.95	34
Total Time in Service	42.45	53.25	43.45	44.45	2.3%	51.7	34.1	89.2	1655.55	34
Engine 27										
Total Responses	72	68	65	72	10.8%	67.8	54.0	86.0	2171	34
EMS Responses	34	26	29	37	27.6%	32.0	21.0	41.0	1025	34
Building Inspections Performed	16	13	4	10	150.0%	10.6	-	19.0	340	34
Home Visit Inspections Performed	17	0	17	30	76.5%	34.9	-	103.0	1116	34
Hydrants Inspected	49	35	33	34	3.0%	34.7	-	74.0	1111	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	3	2	-33.3%	2.2	2.0	3.0	71	34
Fire Prevention Presentations	0	0	0	1		0.8	-	6.0	27	34
Smoke Detectors Installed	8	1	1	15	1400.0%	7.6	-	26.0	244	34
Battalion Training (Hours)	8	5	3.3	6	81.8%	4.4	-	9.3	141.35	34
Company Training (Hours)	3	14	7	10	42.9%	8.4	3.0	14.0	268.9	34
Total Time in Service	55	63	49	59.45	21.3%	56.2	39.5	84.6	1799.97	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 29										
Total Responses	115	111	130	117	-10.0%	115.5	88.0	140.0	3697	34
EMS Responses	72	68	65	77	18.5%	74.2	57.0	99.0	2373	34
Building Inspections Performed	3	9	14	9	-35.7%	6.7	-	22.0	214	34
Home Visit Inspections Performed	91	39	15	0	-100.0%	56.0	-	218.0	1792	34
Hydrants Inspected	30	80	55	30	-45.5%	51.2	-	139.0	1639	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	-	6.0	72	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.2	-	9.0	37	34
Smoke Detectors Installed	4	0	31	6	-80.6%	16.4	-	54.0	526	34
Battalion Training (Hours)	2	9.3	6	10.3	71.7%	6.8	-	12.0	216.85	34
Company Training (Hours)	6	6	6	7	16.7%	9.1	2.2	18.0	291.1	34
Total Time in Service	63.55	69.4	82.1	80.5	-1.9%	85.7	56.3	120.2	2741.71	34
Engine 30										
Total Responses	87	82	86	84	-2.3%	82.8	66.0	116.0	2650	34
EMS Responses	51	41	38	45	18.4%	40.0	27.0	58.0	1279	34
Building Inspections Performed	10	6	6	7	16.7%	6.5	2.0	16.0	208	34
Home Visit Inspections Performed	24	25	38	23	-39.5%	35.7	-	213.0	1142	34
Hydrants Inspected	16	30	34	34	0.0%	31.8	-	80.0	1017	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	2	0.0%	2.2	-	3.0	69	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	8.0	15	34
Smoke Detectors Installed	0	16	7	10	42.9%	8.1	-	28.0	258	34
Battalion Training (Hours)	4	4	4	4	0.0%	4.9	3.0	13.0	158	34
Company Training (Hours)	7.3	9	13	8	-38.5%	7.0	1.0	21.0	225.3	34
Total Time in Service	67.45	70.15	74.15	65.15	-12.1%	64.0	43.5	97.2	2048.95	34
Engine 31										
Total Responses	105	102	85	100	17.6%	98.3	76.0	116.0	3146	34
EMS Responses	50	50	34	50	47.1%	45.3	30.0	58.0	1451	34
Building Inspections Performed	12	9	9	9	0.0%	7.4	1.0	16.0	237	34
Home Visit Inspections Performed	69	28	6	25	316.7%	27.6	-	133.0	884	34
Hydrants Inspected	52	52	52	52	0.0%	38.7	-	62.0	1238	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.4	1.0	5.0	76	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.7	-	6.0	23	34
Smoke Detectors Installed	0	0	0	0	0.0%	5.7	-	27.0	182	34
Battalion Training (Hours)	4	5	4	5	25.0%	3.8	2.0	7.3	120.7	34
Company Training (Hours)	7	13	10	6	-40.0%	8.7	4.0	18.0	279.6	34
Total Time in Service	60.35	75.35	61.3	69.55	13.5%	63.9	51.5	124.5	2044.94	34
Engine 33										
Total Responses	112	69	89	144	61.8%	113.5	69.0	148.0	3631	34
EMS Responses	61	23	29	88	203.4%	55.4	23.0	82.0	1773	34
Building Inspections Performed	11	10	8	5	-37.5%	11.0	2.0	28.0	351	34
Home Visit Inspections Performed	56	10	59	73	23.7%	47.4	-	134.0	1516	34
Hydrants Inspected	52	52	52	65	25.0%	44.6	-	92.0	1426	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.1	-	4.0	68	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.4	-	26.0	46	34
Smoke Detectors Installed	0	0	0	4		11.3	-	54.0	362	34
Battalion Training (Hours)	4	4	4	4	0.0%	3.7	1.0	10.0	118.85	34
Company Training (Hours)	12.3	9.3	10	12	20.0%	7.1	2.0	18.0	227.1	34
Total Time in Service	85.3	69.3	76.3	111.3	45.9%	85.4	61.5	118.3	2731.76	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 35										
Total Responses	39	38	41	52	26.8%	43.7	31.0	70.0	1399	34
EMS Responses	19	19	23	30	30.4%	23.4	15.0	33.0	749	34
Building Inspections Performed	3	4	1	5	400.0%	2.6	-	9.0	84	34
Home Visit Inspections Performed	12	8	22	9	-59.1%	22.1	-	131.0	706	34
Hydrants Inspected	24	22	23	22	-4.3%	23.4	-	88.0	750	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	70	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.8	-	8.0	27	34
Smoke Detectors Installed	4	0	10	0	-100.0%	4.7	-	24.0	150	34
Battalion Training (Hours)	4	7.3	0	2		4.3	-	37.0	137.9	34
Company Training (Hours)	7	8	7	8	14.3%	6.7	2.0	16.0	213.3	34
Total Time in Service	36.15	41.3	42.55	45.25	6.3%	43.5	28.2	94.3	1390.66	34
Engine 36										
Total Responses	79	77	75	80	6.7%	84.8	61.0	107.0	2715	34
EMS Responses	31	32	30	42	40.0%	37.7	12.0	56.0	1206	34
Building Inspections Performed	19	21	18	16	-11.1%	11.2	-	24.0	359	34
Home Visit Inspections Performed	60	80	83	83	0.0%	43.1	-	124.0	1379	34
Hydrants Inspected	48	52	49	52	6.1%	38.5	-	74.0	1231	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	1	2	3	50.0%	2.1	1.0	3.0	67	34
Fire Prevention Presentations	0	1	0	1		0.7	-	6.0	23	34
Smoke Detectors Installed	21	24	0	0	0.0%	20.8	-	62.0	664	34
Battalion Training (Hours)	4	4	8	4	-50.0%	3.7	2.0	6.0	118.3	34
Company Training (Hours)	5	6	10	6.45	-35.5%	21.7	2.0	515.0	694	34
Total Time in Service	75.45	60.45	75.45	66.15	-12.3%	60.1	39.3	96.5	1923.94	34
Engine 40										
Total Responses	70	71	71	73	2.8%	75.8	52.0	97.0	2424	34
EMS Responses	41	44	31	32	3.2%	40.3	18.0	62.0	1288	34
Building Inspections Performed	6	4	5	1	-80.0%	6.3	-	38.0	202	34
Home Visit Inspections Performed	13	29	16	38	137.5%	51.5	-	203.0	1648	34
Hydrants Inspected	74	68	61	66	8.2%	58.2	-	144.0	1863	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	2	0.0%	2.6	2.0	5.0	84	34
Fire Prevention Presentations	0	1	0	0	0.0%	2.0	-	16.0	65	34
Smoke Detectors Installed	0	6	7	4	-42.9%	10.2	-	59.0	325	34
Battalion Training (Hours)	10.3	16.3	13.3	11	-17.3%	10.3	5.3	16.3	330.25	34
Company Training (Hours)	12.45	11	11	11	0.0%	12.4	9.0	22.3	397.65	34
Total Time in Service	68.55	70.45	67	68	1.5%	69.5	43.4	100.5	2222.55	34
Engine 41										
Total Responses	74	72	77	92	19.5%	78.3	58.0	99.0	2507	34
EMS Responses	45	35	44	54	22.7%	46.2	33.0	62.0	1477	34
Building Inspections Performed	4	11	8	8	0.0%	12.2	2.0	110.0	390	34
Home Visit Inspections Performed	22	128	100	51	-49.0%	61.7	-	168.0	1973	34
Hydrants Inspected	44	46	38	38	0.0%	41.7	10.0	63.0	1334	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.5	2.0	4.0	81	34
Fire Prevention Presentations	2	0	0	0	0.0%	1.2	-	7.0	39	34
Smoke Detectors Installed	0	24	0	0	0.0%	9.7	-	45.0	311	34
Battalion Training (Hours)	5	11	2	9	350.0%	5.3	-	12.0	168.65	34
Company Training (Hours)	11	11.3	17.3	11	-36.4%	10.8	4.0	20.0	344.71	34
Total Time in Service	60.3	68.15	58.15	67.3	15.7%	62.0	41.2	84.0	1984.15	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 42										
Total Responses	63	64	47	59	25.5%	53.2	30.0	72.0	1702	34
EMS Responses	29	30	20	27	35.0%	24.2	13.0	35.0	773	34
Building Inspections Performed	7	9	6	6	0.0%	5.0	-	10.0	160	34
Home Visit Inspections Performed	76	29	58	44	-24.1%	57.8	-	169.0	1849	34
Hydrants Inspected	64	64	64	66	3.1%	48.8	-	75.0	1560	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	5.0	68	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.0	-	7.0	32	34
Smoke Detectors Installed	0	0	0	0	0.0%	8.4	-	25.0	268	34
Battalion Training (Hours)	6	10	6	8	33.3%	6.7	2.0	11.0	215.3	34
Company Training (Hours)	10	7	8	9	12.5%	10.6	1.0	28.0	338.9	34
Total Time in Service	50.3	51	45.3	53.2	17.4%	53.5	34.6	81.3	1711.05	34
Engine 43										
Total Responses	75	70	70	90	28.6%	73.0	53.0	89.0	2336	34
EMS Responses	56	38	39	59	51.3%	42.7	29.0	56.0	1365	34
Building Inspections Performed	2	6	3	6	100.0%	4.0	-	10.0	129	34
Home Visit Inspections Performed	105	23	47	30	-36.2%	53.6	-	150.0	1715	34
Hydrants Inspected	46	56	47	56	19.1%	39.2	-	58.0	1255	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	3	0.0%	2.3	1.0	3.0	73	34
Fire Prevention Presentations	0	3	0	0	0.0%	0.8	-	4.0	27	34
Smoke Detectors Installed	0	14	6	14	133.3%	9.4	-	48.0	302	34
Battalion Training (Hours)	9	6	6	5.3	-11.7%	5.8	-	10.0	185.9	34
Company Training (Hours)	4	9.3	5	7	40.0%	6.8	-	17.0	217.8	34
Total Time in Service	55.3	55.3	48.45	56.3	16.2%	53.9	43.0	64.4	1725.07	34
Engine 44										
Total Responses	52	46	46	47	2.2%	45.6	30.0	62.0	1459	34
EMS Responses	17	8	12	11	-8.3%	12.7	2.0	20.0	405	34
Building Inspections Performed	3	2	0	3		5.8	-	15.0	187	34
Home Visit Inspections Performed	58	91	76	55	-27.6%	99.7	-	282.0	3189	34
Hydrants Inspected	38	38	38	38	0.0%	33.1	-	59.0	1060	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.5	2.0	4.0	80	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.1	-	10.0	35	34
Smoke Detectors Installed	0	3	1	0	-100.0%	3.7	-	14.0	117	34
Battalion Training (Hours)	8	9	4	4	0.0%	6.9	3.0	11.0	220.6	34
Company Training (Hours)	5	6	7	3	-57.1%	6.2	1.5	18.0	198.1	34
Total Time in Service	54	53.45	47.45	41	-13.6%	53.7	36.6	78.3	1718.65	34
Engine 45										
Total Responses	57	40	37	64	73.0%	52.3	33.0	69.0	1674	34
EMS Responses	27	17	11	43	290.9%	28.6	17.0	45.0	916	34
Building Inspections Performed	3	3	2	2	0.0%	3.6	-	12.0	114	34
Home Visit Inspections Performed	31	26	62	54	-12.9%	34.8	-	84.0	1113	34
Hydrants Inspected	43	42	40	40	0.0%	38.8	-	70.0	1243	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	1.9	-	3.0	62	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.8	-	4.0	25	34
Smoke Detectors Installed	0	3	1	3	200.0%	3.9	-	20.0	126	34
Battalion Training (Hours)	10	12	13	11.45	-11.9%	9.4	2.0	17.0	300.8	34
Company Training (Hours)	5	7	4	5	25.0%	8.2	-	19.0	262.8	34
Total Time in Service	49.55	48.49	45.25	53.1	17.3%	54.0	41.1	72.4	1729.25	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 46										
Total Responses	105	123	119	125	5.0%	118.1	96.0	142.0	3778	34
EMS Responses	66	66	46	76	65.2%	70.1	41.0	95.0	2243	34
Building Inspections Performed	4	9	11	10	-9.1%	9.0	4.0	17.0	289	34
Home Visit Inspections Performed	64	75	173	78	-54.9%	100.7	-	358.0	3222	34
Hydrants Inspected	44	40	40	40	0.0%	43.8	2.0	127.0	1400	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	3	50.0%	2.7	2.0	7.0	85	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.6	-	10.0	52	34
Smoke Detectors Installed	0	0	0	24		10.6	-	49.0	338	34
Battalion Training (Hours)	8	6.3	8	11.3	41.3%	8.5	5.0	14.0	273.3	34
Company Training (Hours)	9	8	5.3	7.3	37.7%	9.5	3.0	27.0	305.55	34
Total Time in Service	75.3	67.05	69.1	89.1	28.9%	82.4	67.1	110.1	2635.76	34
Engine 47										
Total Responses	34	31	30	35	16.7%	36.2	21.0	53.0	1157	34
EMS Responses	13	15	14	18	28.6%	16.0	7.0	23.0	513	34
Building Inspections Performed	10	6	8	7	-12.5%	6.8	-	19.0	218	34
Home Visit Inspections Performed	21	37	41	43	4.9%	61.4	-	272.0	1965	34
Hydrants Inspected	35	40	35	35	0.0%	30.5	-	53.0	975	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.3	2.0	3.0	73	34
Fire Prevention Presentations	0	1	0	0	0.0%	1.5	-	16.0	49	34
Smoke Detectors Installed	0	0	2	0	-100.0%	3.6	-	18.0	116	34
Battalion Training (Hours)	8	13	2	4	100.0%	7.2	4.0	14.0	230.3	34
Company Training (Hours)	12	8.3	15.3	11	-28.1%	13.1	8.0	34.0	419.25	34
Total Time in Service	50	46.15	44.15	46.15	4.5%	55.0	32.1	76.3	1760.94	34
Engine 50										
Total Responses	46	48	45	52	15.6%	47.1	34.0	75.0	1506	34
EMS Responses	32	25	24	25	4.2%	28.2	19.0	44.0	901	34
Building Inspections Performed	5	5	7	9	28.6%	9.1	2.0	22.0	290	34
Home Visit Inspections Performed	38	56	50	50	0.0%	43.8	-	139.0	1400	34
Hydrants Inspected	70	54	45	45	0.0%	46.4	-	82.0	1484	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	71	34
Fire Prevention Presentations	0	1	1	1	0.0%	0.4	-	3.0	14	34
Smoke Detectors Installed	0	5	5	3	-40.0%	3.8	-	23.0	120	34
Battalion Training (Hours)	9	10	9	8	-11.1%	10.3	5.0	16.0	328.2	34
Company Training (Hours)	15	14	12	15	25.0%	10.5	5.0	17.2	334.4	34
Total Time in Service	57.5	55.45	55.35	57.3	3.5%	55.0	35.4	68.6	1761.31	34
Engine 51										
Total Responses	143	143	133	138	3.8%	140.6	107.0	183.0	4498	34
EMS Responses	78	80	67	80	19.4%	78.8	56.0	101.0	2523	34
Building Inspections Performed	10	16	11	12	9.1%	9.8	-	27.0	312	34
Home Visit Inspections Performed	89	120	65	84	29.2%	75.8	-	184.0	2427	34
Hydrants Inspected	38	35	37	38	2.7%	32.8	-	111.0	1048	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.1	2.0	3.0	68	34
Fire Prevention Presentations	1	1	0	0	0.0%	1.1	-	9.0	36	34
Smoke Detectors Installed	7	15	24	8	-66.7%	13.0	-	32.0	415	34
Battalion Training (Hours)	7	8.3	4.3	4	-7.0%	6.1	-	17.0	194.2	34
Company Training (Hours)	8	7	11	8	-27.3%	11.3	6.0	16.0	362.6	34
Total Time in Service	88.45	81	76.15	80	5.1%	82.3	57.0	166.3	2634.23	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 52										
Total Responses	98	92	99	101	2.0%	107.9	91.0	137.0	3453	34
EMS Responses	49	45	52	56	7.7%	56.8	44.0	72.0	1817	34
Building Inspections Performed	8	11	10	9	-10.0%	7.4	-	11.0	236	34
Home Visit Inspections Performed	104	95	113	86	-23.9%	51.0	-	142.0	1631	34
Hydrants Inspected	47	45	35	28	-20.0%	35.8	-	62.0	1144	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	68	34
Fire Prevention Presentations	0	0	1	0	-100.0%	0.8	-	7.0	27	34
Smoke Detectors Installed	0	37	30	42	40.0%	17.1	-	52.0	546	34
Battalion Training (Hours)	9.3	5.3	3.3	8	142.4%	10.1	1.0	114.0	323.8	34
Company Training (Hours)	8	16.4	12	10.15	-15.4%	10.4	1.3	25.0	331.35	34
Total Time in Service	81	68.1	75.15	81.35	8.3%	73.5	52.5	120.0	2353.28	34
Engine 53										
Total Responses	73	62	75	65	-13.3%	65.0	50.0	79.0	2079	34
EMS Responses	31	37	38	40	5.3%	37.4	28.0	48.0	1197	34
Building Inspections Performed	9	8	10	5	-50.0%	7.1	2.0	13.0	226	34
Home Visit Inspections Performed	15	34	30	40	33.3%	40.9	-	125.0	1309.06	34
Hydrants Inspected	65	66	65	65	0.0%	54.3	-	102.0	1739	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.5	2.0	4.0	80	34
Fire Prevention Presentations	1	0	0	0	0.0%	1.8	-	16.0	59	34
Smoke Detectors Installed	0	20	27	10	-63.0%	22.7	-	80.0	727	34
Battalion Training (Hours)	2.3	4.3	2	1.3	-35.0%	3.1	-	7.3	100.5	34
Company Training (Hours)	16	9.3	13.3	12.3	-7.5%	10.7	5.0	31.0	341.55	34
Total Time in Service	71.45	58.15	66.3	55.3	-16.6%	57.3	37.0	72.0	1833.15	34
Engine 54										
Total Responses	49	45	44	57	29.5%	54.1	32.0	72.0	1731	34
EMS Responses	32	14	16	31	93.8%	31.2	8.0	53.0	998	34
Building Inspections Performed	5	8	4	8	100.0%	5.1	-	8.0	163	34
Home Visit Inspections Performed	33	41	79	100	26.6%	52.7	-	140.0	1687	34
Hydrants Inspected	36	39	45	37	-17.8%	32.9	-	46.0	1052	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	2	-33.3%	2.0	-	3.0	63	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.6	-	5.0	18	34
Smoke Detectors Installed	0	11	4	4	0.0%	7.3	-	29.0	234	34
Battalion Training (Hours)	8	12	8	8	0.0%	7.7	4.0	12.0	246.6	34
Company Training (Hours)	8	11	7	7	0.0%	8.3	2.0	11.3	266.2	34
Total Time in Service	51.45	60	53.3	53	-0.6%	54.3	38.3	84.5	1736.98	34
Engine 55										
Total Responses	47	40	45	42	-6.7%	52.6	36.0	81.0	1683	34
EMS Responses	14	17	12	18	50.0%	21.2	8.0	37.0	677	34
Building Inspections Performed	10	10	10	11	10.0%	8.0	4.0	15.0	256	34
Home Visit Inspections Performed	51	55	43	47	9.3%	42.8	-	95.0	1368	34
Hydrants Inspected	19	20	26	21	-19.2%	25.1	1.0	49.0	803	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	4	2	3	2	-33.3%	2.5	2.0	4.0	79	34
Fire Prevention Presentations	0	0	1	0	-100.0%	0.6	-	4.0	18	34
Smoke Detectors Installed	0	0	0	12		5.4	-	17.0	173	34
Battalion Training (Hours)	4	9	7	5	-28.6%	3.9	-	9.0	126.3	34
Company Training (Hours)	25.3	24	27	27	0.0%	25.2	15.0	35.3	807.25	34
Total Time in Service	71	74.45	71.45	80.3	12.4%	76.3	53.1	124.0	2441.76	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Engine 56										
Total Responses	47	58	39	58	48.7%	57.1	39.0	75.0	1826	34
EMS Responses	26	37	29	42	44.8%	35.3	23.0	52.0	1131	34
Building Inspections Performed	4	3	5	5	0.0%	6.2	-	19.0	199	34
Home Visit Inspections Performed	113	32	58	24	-58.6%	66.9	-	227.0	2141	34
Hydrants Inspected	58	57	50	51	2.0%	42.3	3.0	67.0	1353	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	3	2	-33.3%	2.3	1.0	3.0	74	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.9	-	7.0	29	34
Smoke Detectors Installed	2	23	19	8	-57.9%	6.7	-	23.0	214	34
Battalion Training (Hours)	3	12	3.3	6	81.8%	5.1	-	12.0	161.7	34
Company Training (Hours)	13	23	27	22.15	-18.0%	13.6	5.0	25.3	434.75	34
Total Time in Service	52.45	69.15	62.45	70.15	12.3%	55.9	33.1	70.3	1789.74	34
Engine 57										
Total Responses	24	31	23	42	82.6%	34.2	24.0	46.0	1095	34
EMS Responses	10	17	9	23	155.6%	19.2	10.0	29.0	614	34
Building Inspections Performed	10	6	4	8	100.0%	14.5	-	61.0	465	34
Home Visit Inspections Performed	62	59	60	63	5.0%	47.4	-	135.0	1517	34
Hydrants Inspected	22	22	22	22	0.0%	28.3	-	121.0	906	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	8	10	10	10	0.0%	7.5	2.0	12.0	239	34
Fire Prevention Presentations	0	3	1	0	-100.0%	1.2	-	8.0	37	34
Smoke Detectors Installed	0	3	0	0	0.0%	3.9	-	24.0	126	34
Battalion Training (Hours)	8	14	9	8	-11.1%	9.3	2.0	37.0	298.5	34
Company Training (Hours)	11	8	8	9	12.5%	8.4	4.0	18.0	267.6	34
Total Time in Service	51.25	60.15	48.35	57.2	18.3%	61.0	40.0	105.5	1951.22	34
Engine 58										
Total Responses	72	80	69	75	8.7%	75.1	59.0	98.0	2403	34
EMS Responses	42	56	39	33	-15.4%	44.8	31.0	57.0	1435	34
Building Inspections Performed	7	10	6	10	66.7%	7.7	1.0	22.0	246	34
Home Visit Inspections Performed	59	41	33	87	163.6%	28.5	-	97.0	912	34
Hydrants Inspected	41	41	41	41	0.0%	38.6	-	58.0	1235	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.4	2.0	4.0	76	34
Fire Prevention Presentations	5	2	0	0	0.0%	2.0	-	17.0	65	34
Smoke Detectors Installed	3	0	5	1	-80.0%	6.8	-	26.0	218	34
Battalion Training (Hours)	6.3	10	13.3	13	-2.3%	6.4	-	35.0	203.85	34
Company Training (Hours)	19	20	20.3	19	-6.4%	19.5	3.0	28.0	625.3	34
Total Time in Service	88.1	83.55	79.05	79.35	0.4%	77.0	57.1	104.4	2464.36	34
Engine 124										
Total Responses	40	26	40	55	37.5%	40.9	23.0	57.0	1310	34
EMS Responses	17	10	21	30	42.9%	20.8	10.0	33.0	665	34
Building Inspections Performed	2	5	6	5	-16.7%	7.7	-	18.0	246	34
Home Visit Inspections Performed	40	200	45	50	11.1%	79.5	-	200.0	2545.5	34
Hydrants Inspected	48	33	32	30	-6.3%	31.6	-	152.0	1010	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.1	2.0	3.0	68	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.3	-	2.0	10	34
Smoke Detectors Installed	0	13	15	0	-100.0%	8.5	-	34.0	271	34
Battalion Training (Hours)	5	7	2	1	-50.0%	3.7	-	14.0	119.09	34
Company Training (Hours)	7.3	8.3	4	8	100.0%	8.6	-	21.2	274.1	34
Total Time in Service	44.15	41.45	37.15	43	15.7%	45.5	28.0	80.5	1455.2	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Truck 1										
Total Responses	110	109	102	146	43.1%	124.5	94.0	148.0	3983	34
EMS Response	49	53	57	81	42.1%	57.5	24.0	85.0	1840	34
Building Inspections Performed	3	4	2	5	150.0%	5.1	1.0	11.0	164	34
Home Visit Inspections Performed	26	0	15	27	80.0%	13.6	-	56.0	434	34
Hydrants Inspected	42	37	36	39	8.3%	31.9	-	58.0	1021	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	1.0	6.0	78	34
Fire Prevention Presentations	0	0	1	0	-100.0%	0.7	-	5.0	23	34
Smoke Detectors Installed	8	3	0	0	0.0%	3.2	-	22.0	101	34
Battalion Training (Hours)	1	7.3	0	2		3.2	-	7.3	103.55	34
Company Training (Hours)	5	8	6	4	-33.3%	6.2	1.3	14.0	198.8	34
Total Time in Service	56.55	65	54.15	71.15	31.4%	73.0	56.3	113.1	2336.53	34
Truck 3										
Total Responses	82	52	39	112	187.2%	77.3	52.0	115.0	2472	34
EMS Response	36	11	11	61	454.5%	35.2	11.0	49.0	1126	34
Building Inspections Performed	4	6	2	3	50.0%	6.1	1.0	15.0	196	34
Home Visit Inspections Performed	43	68	49	47	-4.1%	39.2	-	89.0	1254	34
Hydrants Inspected	39	38	36	36	0.0%	37.9	14.0	71.0	1213	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	3	0.0%	2.4	2.0	4.0	76	34
Fire Prevention Presentations	1	0	1	0	-100.0%	1.1	-	11.0	34	34
Smoke Detectors Installed	0	0	0	5		3.0	-	17.0	96	34
Battalion Training (Hours)	1.3	7	4	3	-25.0%	3.5	1.0	7.0	113.2	34
Company Training (Hours)	8	13	7	12	71.4%	7.1	4.0	18.0	227	34
Total Time in Service	69.45	59.15	51.15	66.45	29.9%	56.2	21.0	75.2	1798.58	34
Truck 5										
Total Responses	81	126	131	81	-38.2%	107.7	63.0	131.0	3446	34
EMS Response	39	78	72	36	-50.0%	53.7	15.0	78.0	1717	34
Building Inspections Performed	7	11	18	15	-16.7%	12.5	-	22.0	399	34
Home Visit Inspections Performed	93	53	4	44	1000.0%	42.8	-	113.0	1369	34
Hydrants Inspected	55	50	54	50	-7.4%	40.2	-	70.0	1287	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.5	1.0	3.0	79	34
Fire Prevention Presentations	0	1	0	0	0.0%	0.8	-	3.0	25	34
Smoke Detectors Installed	0	2	0	1		10.6	-	56.0	338	34
Battalion Training (Hours)	2	3	4	4	0.0%	2.6	-	5.0	82.35	34
Company Training (Hours)	16	19	21	18	-14.3%	12.8	2.0	21.3	408.3	34
Total Time in Service	67.51	81.35	82.45	72.45	-12.1%	76.7	53.2	117.2	2455.91	34
Truck 6										
Total Responses	50	44	48	43	-10.4%	52.0	37.0	75.0	1664	34
EMS Response	20	19	18	15	-16.7%	19.7	13.0	32.0	631	34
Building Inspections Performed	1	4	5	3	-40.0%	4.9	-	60.0	157	34
Home Visit Inspections Performed	29	41	26	58	123.1%	31.5	-	103.0	1009	34
Hydrants Inspected	30	30	30	30	0.0%	24.8	-	60.0	792	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	2	0.0%	2.1	-	3.0	67	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.2	-	2.0	7	34
Smoke Detectors Installed	0	0	2	4	100.0%	2.6	-	31.0	83	34
Battalion Training (Hours)	5	4	4	4	0.0%	3.2	-	6.0	102.3	34
Company Training (Hours)	6	5	6	9	50.0%	7.3	2.0	26.2	235.05	34
Total Time in Service	37.2	40.35	40.45	42.1	4.1%	41.5	25.0	79.5	1328.17	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS					YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15	% CHANGE	Average	Minimum	Maximum	Total	Periods
Truck 8										
Total Responses	97	96	88	77	-12.5%	80.6	55.0	121.0	2580	34
EMS Response	40	48	36	40	11.1%	38.1	23.0	54.0	1220	34
Building Inspections Performed	10	9	17	11	-35.3%	8.8	-	19.0	283	34
Home Visit Inspections Performed	15	78	23	20	-13.0%	31.0	-	120.0	992	34
Hydrants Inspected	41	37	34	40	17.6%	31.2	-	51.0	997	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.3	1.0	4.0	73	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.3	-	4.0	11	34
Smoke Detectors Installed	0	6	13	0	-100.0%	5.4	-	15.0	173	34
Battalion Training (Hours)	12	11.3	14	10	-28.6%	11.4	4.0	17.0	364.3	34
Company Training (Hours)	11	9	6	12	100.0%	8.9	3.0	16.0	284.95	34
Total Time in Service	81.15	69.3	79.3	69	-13.0%	71.4	38.2	88.3	2283.75	34
Truck 10										
Total Responses	101	72	77	120	55.8%	95.3	72.0	121.0	3051	34
EMS Response	32	17	22	65	195.5%	38.3	17.0	56.0	1226	34
Building Inspections Performed	10	8	19	13	-31.6%	8.3	-	22.0	267	34
Home Visit Inspections Performed	16	20	25	15	-40.0%	17.2	-	71.0	549	34
Hydrants Inspected	18	18	9	18	100.0%	15.1	-	34.0	484	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	4	2	3	3	0.0%	2.7	-	5.0	85	34
Fire Prevention Presentations	0	2	0	0	0.0%	1.3	-	15.0	42	34
Smoke Detectors Installed	0	0	0	8		5.3	-	20.0	170	34
Battalion Training (Hours)	3	6	10	3	-70.0%	2.8	-	6.0	89.75	34
Company Training (Hours)	9	12.3	10	14	40.0%	7.7	-	17.0	247.95	34
Total Time in Service	92	64.45	78.15	83.45	6.8%	66.7	40.3	114.5	2133.82	34
Truck 12										
Total Responses	78	74	88	84	-4.5%	77.1	49.0	116.0	2466	34
EMS Response	29	22	31	35	12.9%	33.1	9.0	74.0	1059	34
Building Inspections Performed	9	8	8	6	-25.0%	5.6	1.0	12.0	180	34
Home Visit Inspections Performed	21	55	60	52	-13.3%	43.6	-	113.0	1394	34
Hydrants Inspected	50	37	36	41	13.9%	36.8	-	85.0	1179	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	3	3	0.0%	2.5	2.0	4.0	81	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.1	-	7.0	36	34
Smoke Detectors Installed	0	5	3	14	366.7%	11.2	-	38.0	358	34
Battalion Training (Hours)	5.3	10.3	4	8	100.0%	7.2	2.0	13.0	229.1	34
Company Training (Hours)	9	8	7	9.3	32.9%	11.4	6.3	19.0	364.65	34
Total Time in Service	74.25	59.45	70.55	81.4	15.4%	68.1	46.3	120.3	2178.5	34
Truck 15										
Total Responses	131	113	126	135	7.1%	129.2	101.0	183.0	4135	34
EMS Response	72	54	63	69	9.5%	71.3	51.0	104.0	2282	34
Building Inspections Performed	13	11	5	3	-40.0%	14.0	-	75.0	447	34
Home Visit Inspections Performed	11	28	13	41	215.4%	29.2	-	99.0	933	34
Hydrants Inspected	61	51	48	48	0.0%	39.0	-	90.0	1247	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	71	34
Fire Prevention Presentations	1	1	0	0	0.0%	1.4	-	13.0	46	34
Smoke Detectors Installed	0	0	0	0	0.0%	10.7	-	47.0	343	34
Battalion Training (Hours)	1	4	2	4.3	115.0%	2.9	-	9.0	93.35	34
Company Training (Hours)	5.45	4	5	2	-60.0%	5.9	1.0	43.0	188.95	34
Total Time in Service	77	64.29	56.45	65.1	15.3%	72.8	10.6	115.3	2329.63	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2-WEEK REPORTING PERIODS					YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15	% CHANGE	Average	Minimum	Maximum	Total	Periods
Truck 16										
Total Responses	115	115	100	117	17.0%	128.5	93.0	157.0	4113	34
EMS Response	46	55	38	38	0.0%	54.2	41.0	71.0	1734	34
Building Inspections Performed	4	5	4	8	100.0%	5.8	1.0	18.0	186	34
Home Visit Inspections Performed	14	7	14	20	42.9%	23.5	-	153.0	751	34
Hydrants Inspected	44	51	65	50	-23.1%	44.1	-	100.0	1412	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	80	34
Fire Prevention Presentations	1	1	0	1		1.5	-	11.0	49	34
Smoke Detectors Installed	0	0	9	0	-100.0%	2.8	-	18.0	88	34
Battalion Training (Hours)	4	6	4	4	0.0%	3.5	-	10.3	111.45	34
Company Training (Hours)	2	3	2	4	100.0%	4.9	2.0	10.3	158	34
Total Time in Service	63.35	62.45	66.45	71.3	7.3%	73.4	47.6	153.1	2348.85	34
Truck 18										
Total Responses	68	67	64	73	14.1%	69.1	50.0	106.0	2212	34
EMS Response	34	38	35	42	20.0%	35.2	21.0	46.0	1125	34
Building Inspections Performed	4	4	3	6	100.0%	8.6	-	51.0	276	34
Home Visit Inspections Performed	101	99	59	84	42.4%	80.7	-	197.0	2582	34
Hydrants Inspected	48	67	56	46	-17.9%	50.8	-	93.0	1625	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	4	2	3	3	0.0%	2.6	2.0	4.0	82	34
Fire Prevention Presentations	1	0	0	0	0.0%	2.7	-	14.0	86	34
Smoke Detectors Installed	0	24	8	22	175.0%	15.9	-	50.0	508	34
Battalion Training (Hours)	16.4	12.3	11	15	36.4%	10.9	4.0	20.2	349.95	34
Company Training (Hours)	18.45	19.3	17	13.2	-22.4%	17.8	7.5	65.3	570.25	34
Total Time in Service	92	77.51	74.1	80.55	8.7%	77.9	61.4	108.3	2491.52	34
Truck 20										
Total Responses	34	35	42	44	4.8%	39.4	25.0	52.0	1260	34
EMS Response	15	12	20	15	-25.0%	15.8	7.0	22.0	504	34
Building Inspections Performed	4	7	4	8	100.0%	7.7	-	17.0	245	34
Home Visit Inspections Performed	64	43	77	35	-54.5%	69.9	-	190.0	2237	34
Hydrants Inspected	35	34	35	35	0.0%	33.1	-	63.0	1058	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.4	2.0	3.0	77	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	3.0	15	34
Smoke Detectors Installed	0	0	8	0	-100.0%	5.5	-	26.0	176	34
Battalion Training (Hours)	10.3	7	4	8	100.0%	6.8	1.0	14.0	218.5	34
Company Training (Hours)	11	10	11.3	13	15.0%	12.5	4.0	31.0	398.7	34
Total Time in Service	60.15	53.3	44	54.3	23.4%	54.4	35.5	81.3	1741.46	34
Truck 21										
Total Responses	32	21	23	41	78.3%	27.8	16.0	40.0	890	34
EMS Response	12	6	6	17	183.3%	8.5	4.0	14.0	272	34
Building Inspections Performed	4	6	4	4	0.0%	4.5	-	18.0	145	34
Home Visit Inspections Performed	14	28	5	23	360.0%	31.4	-	137.0	1005	34
Hydrants Inspected	22	22	22	22	0.0%	41.0	-	191.0	1313	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.4	1.0	4.0	77	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.0	-	5.0	32	34
Smoke Detectors Installed	1	0	0	0	0.0%	4.3	-	14.0	139	34
Battalion Training (Hours)	5	12	2	4	100.0%	7.7	1.0	18.0	245.3	34
Company Training (Hours)	15	12.3	15.3	15.3	0.0%	15.5	2.3	23.3	496.7	34
Total Time in Service	38.3	53.45	39.05	42.2	8.1%	54.9	34.5	100.2	1758.02	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Truck 23										
Total Responses	52	38	45	44	-2.2%	55.9	38.0	93.0	1788	34
EMS Response	13	14	7	9	28.6%	20.4	10.0	56.0	652	34
Building Inspections Performed	10	8	11	11	0.0%	6.9	-	14.0	222	34
Home Visit Inspections Performed	52	29	38	43	13.2%	26.9	-	98.0	860	34
Hydrants Inspected	37	37	38	36	-5.3%	27.3	-	55.0	874	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	-	6.0	69	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	3.0	17	34
Smoke Detectors Installed	0	5	0	0	0.0%	4.7	-	22.0	150	34
Battalion Training (Hours)	8	11	6	11	83.3%	4.7	-	12.0	151.45	34
Company Training (Hours)	11	10.3	13	10	-23.1%	10.9	3.0	28.0	348.2	34
Total Time in Service	71.15	64.3	70.45	66.3	-5.9%	64.6	40.2	102.0	2068.48	34
Truck 25										
Total Responses	70	60	62	58	-6.5%	54.5	40.0	71.0	1745	34
EMS Response	13	11	8	11	37.5%	11.4	4.0	21.0	365	34
Building Inspections Performed	2	4	2	8	300.0%	6.2	-	20.0	199	34
Home Visit Inspections Performed	116	49	60	47	-21.7%	67.9	-	141.0	2172	34
Hydrants Inspected	68	62	61	62	1.6%	48.8	-	70.0	1563	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.1	1.0	3.0	68	34
Fire Prevention Presentations	1	0	0	0	0.0%	1.9	-	25.0	62	34
Smoke Detectors Installed	0	0	4	0	-100.0%	2.2	-	9.0	70	34
Battalion Training (Hours)	5	3	3.3	6	81.8%	5.4	2.0	10.0	174.3	34
Company Training (Hours)	8	12	12.45	8	-35.7%	8.6	4.0	15.4	274.85	34
Total Time in Service	62.3	54.15	47	54.3	15.5%	53.9	36.6	72.3	1724.86	34
Truck 26										
Total Responses	61	61	59	69	16.9%	57.3	40.0	80.0	1832	34
EMS Response	31	34	27	27	0.0%	26.4	16.0	37.0	844	34
Building Inspections Performed	3	13	3	8	166.7%	9.6	-	23.0	307	34
Home Visit Inspections Performed	28	74	77	15	-80.5%	57.5	-	140.0	1841	34
Hydrants Inspected	48	45	45	46	2.2%	42.6	-	98.0	1362	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	2	0.0%	2.3	-	4.0	74	34
Fire Prevention Presentations	0	1	0	0	0.0%	0.8	-	7.0	27	34
Smoke Detectors Installed	7	0	0	0	0.0%	14.7	-	88.0	470	34
Battalion Training (Hours)	9	4.3	4	5	25.0%	4.0	-	9.0	127.8	34
Company Training (Hours)	11	13	9	11	22.2%	9.0	3.0	14.3	288.05	34
Total Time in Service	62.5	59.45	51.45	61	18.6%	56.5	37.2	80.2	1809.26	34
Truck 27										
Total Responses	47	78	89	54	-39.3%	52.8	33.0	78.0	1689	34
EMS Response	13	36	46	19	-58.7%	22.6	5.0	36.0	723	34
Building Inspections Performed	8	4	4	5	25.0%	4.9	-	13.0	156	34
Home Visit Inspections Performed	0	40	11	22	100.0%	26.6	-	115.0	852	34
Hydrants Inspected	55	56	49	49	0.0%	37.8	-	104.0	1210	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	4	3	2	3	50.0%	2.4	2.0	4.0	76	34
Fire Prevention Presentations	1	3	0	0	0.0%	1.1	-	11.0	35	34
Smoke Detectors Installed	0	9	1	3	200.0%	3.0	-	17.0	97	34
Battalion Training (Hours)	11	7	4	9.3	132.5%	10.8	4.0	51.0	345.2	34
Company Training (Hours)	8	10	13	9	-30.8%	10.2	4.0	57.0	327.5	34
Total Time in Service	57.3	64	53.5	57.25	7.0%	54.0	31.0	88.6	1726.73	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Truck 29										
Total Responses	68	77	76	81	6.6%	75.3	60.0	95.0	2409	34
EMS Response	22	27	25	27	8.0%	28.1	16.0	44.0	898	34
Building Inspections Performed	3	4	1	3	200.0%	4.0	-	20.0	127	34
Home Visit Inspections Performed	64	33	15	46	206.7%	37.0	-	173.0	1184	34
Hydrants Inspected	41	41	41	41	0.0%	31.3	-	47.0	1000	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	2	0.0%	2.3	1.0	4.0	73	34
Fire Prevention Presentations	1	0	0	0	0.0%	0.8	-	8.0	25	34
Smoke Detectors Installed	2	2	23	3	-87.0%	13.6	-	63.0	434	34
Battalion Training (Hours)	10	9	5	6	20.0%	6.1	-	10.0	196.45	34
Company Training (Hours)	2	5	5	5	0.0%	5.4	2.0	14.0	173	34
Total Time in Service	58.3	56.3	54	54.3	0.6%	54.1	23.2	72.0	1731.56	34
Truck 30										
Total Responses	49	41	47	49	4.3%	47.4	25.0	75.0	1517	34
EMS Response	21	13	23	23	0.0%	24.4	7.0	45.0	782	34
Building Inspections Performed	3	9	6	7	16.7%	5.2	-	16.0	167	34
Home Visit Inspections Performed	26	58	99	31	-68.7%	52.2	-	133.0	1670	34
Hydrants Inspected	45	53	46	41	-10.9%	36.3	-	63.0	1161	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	67	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.8	-	5.0	24	34
Smoke Detectors Installed	0	14	0	2		5.0	-	16.0	159	34
Battalion Training (Hours)	10	14	5	8	60.0%	7.5	4.0	14.0	241	34
Company Training (Hours)	18.3	17	16	13	-18.8%	15.2	8.0	28.0	485.8	34
Total Time in Service	60	67	59.3	61.45	3.6%	57.6	39.2	84.5	1841.83	34
Aerial Tower 102/Truck 2										
Total Responses	89	93	71	85	19.7%	95.8	65.0	116.0	3065	34
EMS Response	36	40	29	38	31.0%	37.1	23.0	56.0	1187	34
Building Inspections Performed	8	7	7	7	0.0%	7.3	2.0	34.0	232	34
Home Visit Inspections Performed	0	24	22	8	-63.6%	14.0	-	42.0	449	34
Hydrants Inspected	37	37	37	37	0.0%	30.7	-	44.0	983	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	3	2	-33.3%	2.4	1.0	6.0	78	34
Fire Prevention Presentations	0	0	0	0	0.0%	1.0	-	5.0	32	34
Smoke Detectors Installed	0	0	0	3		0.7	-	4.0	21	34
Battalion Training (Hours)	6	6	4	5	25.0%	4.2	2.0	10.0	133.4	34
Company Training (Hours)	12	6	6	4	-33.3%	5.6	1.0	12.0	179.2	34
Total Time in Service	73.45	62.05	47.55	55.4	16.5%	62.2	39.5	137.2	1989.98	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

EMERGENCY MEDICAL SERVICES (EMS)

EMS RESPONSES	2 - WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Medic 1 - Total Responses	219	204	184	236	28.3%	242.1	204.0	282.0	7746	34
Medic 2 - Total Responses	133	129	109	163	49.5%	144.8	123.0	180.0	4635	34
Medic 3 - Total Responses	195	197	190	208	9.5%	194.8	160.0	234.0	6235	34
Medic 4 - Total Responses	252	247	232	247	6.5%	255.2	219.0	291.0	8167	34
Medic 5 - Total Responses	178	163	151	160	6.0%	189.7	158.0	222.0	6071	34
Medic 6 - Total Responses	188	201	171	169	-1.2%	179.9	151.0	267.0	5757	34
Medic 7 - Total Responses	245	253	245	278	13.5%	250.9	210.0	281.0	8028	34
Medic 8 - Total Responses	217	214	205	217	5.9%	208.3	176.0	247.0	6667	34
Medic 9 - Total Responses	175	157	150	162	8.0%	163.5	137.0	209.0	5232	34
Medic 10 - Total Responses	256	237	248	240	-3.2%	246.2	207.0	288.0	7878	34
Medic 11 - Total Responses	183	165	156	185	18.6%	188.6	147.0	226.0	6034	34
Medic 12 - Total Responses	192	188	191	190	-0.5%	193.8	159.0	231.0	6200	34
Medic 13 - Total Responses	172	177	147	173	17.7%	174.3	143.0	205.0	5579	34
Medic 14 - Total Responses	179	185	178	178	0.0%	162.3	102.0	192.0	5194	34
Medic 15 - Total Responses	245	231	230	254	10.4%	247.1	174.0	284.0	7908	34
Medic 16 - Total Responses	228	233	240	255	6.3%	248.7	211.0	285.0	7957	34
Medic 17 - Total Responses	228	223	215	224	4.2%	211.7	197.0	253.0	7109	34
Medic 18 - Total Responses	143	148	140	155	10.7%	147.8	115.0	173.0	4729	34
Medic 19 - Total Responses	171	162	150	170	13.3%	167.8	121.0	208.0	5370	34
Medic 20 - Total Responses	165	162	145	181	24.8%	168.0	150.0	226.0	5656	34
Medic 21 - Total Responses	250	235	227	248	9.3%	231.8	182.0	273.0	7419	34
Medic 22 - Total Responses	222	204	196	222	13.3%	230.5	204.0	256.0	7376	34
Ambo 41 - Total Responses	10	2	12	12	0.0%	9.5	1.0	27.0	305	34
Ambo 42 - Total Responses	11	1	6	9	50.0%	9.4	-	24.0	302	34
Ambo 43 - Total Responses	17	2	9	11	22.2%	12.6	2.0	31.0	402	34
Ambo 44 - Total Responses	9	2	4	12	200.0%	9.9	-	28.0	318	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

HAZMAT

HAZMAT RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Total Responses	2	1	3	4	33.3%	4.9	1.0	23.0	156	34
Spills/Ground	0	0	1	3	200.0%	2.1	-	5.0	67	34
Spills/Water	0	0	0	0	0.0%	0.1	-	1.0	4	34
Unusual Odor	0	0	0	0	0.0%	0.4	-	3.0	14	34
Release to Atmosphere	2	0	0	1		0.3	-	2.0	10	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	0	0	0	0	0.0%	2.0	-	28.0	64	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.1	-	4.0	4	34
Other	0	1	2	0	-100.0%	1.8	-	20.0	56	34
Battalion Training(Hours)	2	5.3	0	0	0.0%	2.2	-	9.3	70.6	34
Company Training(Hours)	0	5	6	4	-33.3%	2.8	-	25.0	88	34
Total Time In Service	5.3	12	9.3	9.1	-2.2%	14.3	0.3	71.6	456.7	34

MARINE UNIT

RESPONSES					% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Total Responses	11	4	3	12	300.0%	7.2	-	17.0	231	34
EMS Responses	0	0	0	0	0.0%	0.7	-	7.0	23	34
Building Inspections Performed	6	6	6	6	0.0%	5.6	4.0	7.0	180	34
Home Visit Inspections	0	0	0	0	0.0%	0.2	-	7.0	7	34
Hydrant Inspections Performed	0	0	0	0	0.0%	0.4	-	7.0	13	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	5	6	6	6	0.0%	5.4	-	9.0	174	34
Fire Prevention Presentations	0	0	0	0	0.0%	0.4	-	7.0	12	34
Smoke Detectors Installed	0	0	0	0	0.0%	0.2	-	7.0	7	34
Battalion Training(Hours)	2	4	4	4	0.0%	3.7	-	7.0	119.3	34
Company Training(Hours)	4	12	12	12	0.0%	10.4	-	14.0	333	34
Total Time in Service	22.25	30.2	29.55	32.15	8.8%	30.4	7.0	66.3	972.71	34

RESCUE 1

RESCUE RESPONSES					% CHANGE	YEAR-TO-DATE				
	11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		Average	Minimum	Maximum	Total	Periods
Total Responses	53	46	39	59	51.3%	47.8	28.0	66.0	1531	34
EMS Responses	4	0	0	0	0.0%	0.7	-	4.0	22	34
Building Inspections Performed	3	2	1	3	200.0%	5.7	-	20.0	183	34
Home Visit Inspections	0	0	0	0	0.0%	4.6	-	74.0	148	34
Hydrant Inspections Performed	30	30	30	30	0.0%	24.9	-	42.0	796	34
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	2	-33.3%	3.0	1.0	10.0	95	34
Fire Prevention Presentations	1	1	0	0	0.0%	0.6	-	3.0	19	34
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	3.0	8	34
Battalion Training(Hours)	2	6	2	2	0.0%	4.9	-	28.0	156.6	34
Company Training(Hours)	12.3	10	10	9	-10.0%	12.1	2.0	24.0	386.22	34
Total Time in Service	65	60.4	44.55	51.45	15.5%	59.7	35.3	151.5	1911.69	34



CITISTAT

REPORTING PERIOD: JANUARY 02, 2002 THROUGH JANUARY 15, 2002

FIRE INSPECTION PERFORMANCE

Inspector Name	Assignment	2 -WEEK REPORTING PERIODS				% CHANGE	Annual Totals		
		11/21-12/04	12/05-12/18	12/19-01/01	01/02-01/15		FY02 (1 QTR)	FY2001	FY2000
1	Area Supervisor	0	14	28	32	14.3%			489
2	Area Supervisor	34	64	29	62	113.8%			1,019
3	Public Assembly	96	175	113	50	-55.8%			1,545
4	District Inspector	3	1	17	27	58.8%			601
5	District Inspector	40	40	35	14	-60.0%			1,072
6	Day Care Homes	42	6	21	40	90.5%			771
7	District Inspector	22	34	50	35	-30.0%			738
8	District Inspector	31	30	39	39	0.0%			813
9	District Inspector	0	0	0	0	0.0%			1,418
10	Public Assembly	111	85	260	61	-76.5%			1,653
11	Health Care	45	35	27	63	133.3%			882
12	District Inspector	9	0	4	49	1125.0%			709
13	Public Assembly	23	231	103	220	113.6%			1,828
14	Assisted Living	0	0	0	0	0.0%			649
15	Public Assembly	192	173	185	199	7.6%			not assigned
16	Public Assembly	83	99	75	67	-10.7%			not assigned

* F.I. Gardner off sick for portion of reporting period

** F.I. O'Malley and F.F. Harris on extended sick leave